




TENT SOLUTIONS

Individual tent systems for tent rental companies



EXCEPTIONAL ... COMFORTABLE ... STYLISH

“A FEAST FOR THE EYES”



Fritz Olaf Dreesen

Former Managing Director
of the Rheinhôtel Dreesen

Fritz Olaf Dreesen, former Managing Director of the Rheinhôtel Dreesen in Bonn Bad Godesberg, was looking for a way to make the well-known and popular chestnut garden, which is directly on the banks of the Rhine River, temporarily usable.

The solution: an individually designed RÖDER BODEGA large tent, which harmoniously blends into the open space as a spacious pavilion.

With the Thriene family from Eventservice 7gebirgszelte, an innovative temporary space solution was formed.

Eventservice 7gebirgszelte is characterised by professional advice, high-quality materials, customer proximity and a willingness to provide service in their daily work.


“I CAN RECOMMEND
RÖDER WITH
CONFIDENCE AT
ANY TIME. WE HAVE
CREATED A GREAT
SPACE SOLUTION
THAT IS WELL RE-
CEIVED AND HIGHLY-
APPRECIATED BY
OUR CUSTOMERS”



Joachim Thriene
Managing Director
Eventservice 7gebirgszelte



“AS AN EVENT SERVICE PROVIDER, WE ALWAYS FIND FLEXIBLE AND COST-EFFICIENT SOLUTIONS FOR OUR CUSTOMERS. IN COLLABORATION WITH RÖDER AS A MANUFACTURER OF QUALITY TENT SYSTEMS, WE ARE PROUD OF THE MODERN, SUPERIOR TENTS WE ARE ABLE TO CUSTOMISE TO A CLIENT’S INDIVIDUAL SPECIFICATIONS.”



RÖDER and the
Rheinhotel Dreesen:
with pavilion and large
tent BODEGA for
temporary terrace use

INNOVATIVE SPACE SOLUTIONS WORLDWIDE

RÖDER GROUP

The RÖDER Group is an internationally successful specialist of flexible and modular hall and tent systems. With over 600 dedicated employees at more than 30 locations worldwide, we impress with quality, know-how and service. RÖDER is the prime choice provider for temporary and static space solutions.

> 60

Years of experience

> 600

Dedicated employees

5,500 +

Satisfied customers

10,000 +

Successful projects

95%

Reusable elements



TENT SOLUTIONS

RÖDER tent structures offer optimal solutions for tent rental companies.

Our portfolio of high-quality temporary and permanent space concepts includes marquee systems for every occasion. Our markets range from events, hospitality, sports and warehousing – to even public services; including disaster relief and emergency operations.

INDUSTRY SOLUTIONS

With the new RÖDER S-, M- and H-Line series, we are setting new standards in the industrial sector. Do you have a need for a fast, flexible and durable hall system? Take RÖDER on board as a competent partner and we will help you to expand your business and create new opportunities.

EVENT

For private parties and corporate events, large events or stylish outdoor areas in the gastronomy and hotel industries, RÖDER supplies the perfect tent system for every event.

OUR RESPONSIBILITY

QUALITY & SAFETY

“Engineered and made in Germany”. This is our dedicated service commitment as a premium manufacturer of tent and hall systems.

We guarantee quality and safety through our in-house production control. We leave nothing to chance and have our constructions checked by the Technischer Überwachungsverein (TÜV) – English: Technical Inspection Association. You receive dimensioning, load-bearing capacity, planning and statics from a single source and in accordance with Eurocode and Deutsches Institut für Normung e. V. (DIN) structural design standards, the German International Organisation for Standardisation (ISO) member body. Important specifications – such as fire protection and occupational safety – are an integral part of our planning.

SUSTAINABILITY

The RÖDER Group meets the world’s most demanding system for sustainable environmental management and is EU Eco-Management and Audit Scheme-certified (EMAS). The long-service life of our components contributes to sustainability; which is why we use high-quality materials for planning and scaffolding construction. Our components are reusable and recyclable, all of which make a positive contribution to our environment!

RÖDER INDUSTRIAL

As a long-standing partner of the industry, RÖDER offers a range of single-source services from planning, logistics and assembly; to turnkey space solutions – including accessories and infrastructure.

In partnership with you, we develop modular space solutions and offer numerous expansion options that meet your requirements and which will allow space for your growth! Relocation is quick and economical due to the low weight of the components and the small transport volumes.

One of the
company sites
in Büdingen.



COMPACT ... INVITING ... INDIVIDUAL

PAGODA TENTS C-TENTS

A pagoda marquee for every occasion

C-TENTS from RÖDER impress with their compact dimensions that have good space availability, great expandability and an interesting look. The Highlight Pagoda can also be used with a low high point. All tents of the C-TENTS series can be connected with each other to create extensive tent landscapes. Of course, the combinations with other tents from RÖDER are also possible.

Steinhaus1718 Beer Garden

RÖDER designed a special beer garden solution for the Steinhaus1718 hotel and restaurant. With four, 4 x 4 m pagodas with a low high point, an elegant 64 m² tent ensemble was created. The black roof design was completely adapted to the Corporate Identity of the Steinhaus restaurant. The side panelling, made of poly tarpaulins, allows beautiful views in and out and can be opened all around within a short time.

This attractive pagoda ensemble is now also offered by RÖDER as a “stone house tent” in different sizes and colour variations.



64 m²
Area



2 days
Installation



4
Tents

Expand your offer

With our rebuild set, your RÖDER Pagoda becomes a modern cubically CUPOLA in no time at all.

Your advantages

- Switching between two tent types
- Expand your offer
- Develop new industry target groups
- Branding option through stylish fascias

PARTY TENT HIGHLIGHT PAGODA 300 – 500 CM VARIANTS 800 CM AND 1,000 CM



Standard version

Span (cm)	300	400	500	800	1,000
Side height (cm)	229	229	229	240 / 300	240 / 300
Ridge height (cm)	299	322	345	382 / 448	422 / 485
Roof pitch (°)	20	20	20	20	20
High point (cm)	396	458	516	622 / 682	659 / 719
Truss spacing / grid (cm)	300	400	400	400	500
Main profile (mm)	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	94 x 48 x 3	130 x 70 x 3	130 x 70 x 3
Special design	Elimination of anchoring by installing a steel-aluminium floor with ballasting or a compact floor.			No removal of the anchorage possible.	
Note	Can also be used with a low high point. With this type of tent, the side posts can be telescoped by approximately 10 cm to compensate for height.			With this type of tent, the side posts can be telescoped by approximately 10 cm to compensate for height.	
Attachment option	Using additional tents of the same design, the pagoda can be extended in to any length and shape by rain gutters.			Using additional tents of the same design, the pagoda can be extended in to any length and shape by rain gutters.	
Floor	<ul style="list-style-type: none"> • Wooden floor with squared timber or steel-aluminium substructure • Cassette flooring • Compact flooring 			Only wooden floor with squared timber or steel-aluminium substructure possible.	
Planning	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.				

PARTY TENT / WINE TENT CUPOLA WITH ATTIC 300 – 500 CM



Standard version

Span (cm)	300	400	500
Side height (cm)	230	230	230
Ridge height (cm)	286	294	306
Truss spacing / grid (cm)	300	400	400
Main profile (mm)	94 x 48 x 3	94 x 48 x 3	94 x 48 x 3 130 x 70 x 3
Maximum permissible wind speed according to EN	80 km/h		
Special design	Omission of anchoring due to installation of a floor with ballasting.		
Note	The side posts can be telescoped by approximately 10 cm for height compensation.		
Attachment option	The addition of a surrounding parapet (height: 500 mm or 900 mm only for the wine tent) is possible.		
Floor	Using additional tents of the same design, The RÖDER CUPOLA can be extended in to any length and shape by rain gutters.		
Planning	Wooden floor with squared timber or steel-aluminium substructure.		
	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.		

**Special from
1 make 2**



CLASSIC ... STABLE ... DURABLE

PARTY TENTS P-TENTS

Functionality for special demands

P-TENTS not only impress with their unmistakable appearance, but also score points in terms of safety and economy. The stability of the systems is statically tested and they can easily be erected quickly and safely. All P-TENTS models are manufactured in accordance with the European Standard EN 13782. Transport your guests into a very special ambience reminiscent of traditional Spanish vaulted cellars with the BODEGA party tent. The span width can be selected from between three to ten metres.

Summer Festival of the Federal President

RÖDER equipped the park of Berlin's Bellevue Palace with over 40 marquees for the Federal President's annual summer festival.

The attractive P-Tents series party tents were elegantly integrated into the existing garden architecture. More than 3,000 m² of Schlosspark's area was covered to provide the catering companies with snacks and drinks tents for over 5,000 guests; as well as exhibition locations for the sponsors and patrons.



3,000 m²
Area



12 days
Installation



42
Tents

P-TENT PARTY TENT 300 – 1,000 CM



Standard version

Span (cm)	300	400	600	800	900	1,000
Side height (cm)	229	229	229	229	229	229
Ridge height (cm)	284	301	338	368	392	411
Roof pitch (°)	20	20	20	20	20	20
Truss spacing / grid (cm)	300	300	300	300	300	300
Main profile (mm)	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	94 x 48 x 3	94 x 48 x 3
Gable supports (number)	0	0	1	1	2	2
Maximum permissible wind speed according to EN	80 km/h					
Special design	<ul style="list-style-type: none"> • Elimination of anchoring by installing a steel-aluminium floor with ballasting or; by using the compact floor or cassette floor with ballasting • Omission of wind-bracing crosses due to the installation of portals 					
Note	Can also be used with a low high point. With this type of tent, the side posts can be telescoped by approximately 10 cm for height compensation.					
Floor	<ul style="list-style-type: none"> • Wooden floor with squared timber or steel-aluminium substructure • Cassette flooring • Compact flooring 					
Planning	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.					

P-TENT PARTY TENT BODEGA 300 – 900 CM



Standard version

Span (cm)	300	400	600	900
Side height (cm)	229	229	229	229
Ridge height (cm)	275	306	327	397
Truss spacing / grid (cm)	300	300	300	300
Main profile (mm)	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	81 x 48 x 3 94 x 48 x 3	94 x 48 x 3
Gable supports (number)	0	0	1	2
Maximum permissible wind speed according to EN	80 km/h			
Special design	Omission of wind-bracing crosses due to the installation of portals.			
Floor	<ul style="list-style-type: none"> • Wooden floor with squared timber or steel-aluminium substructure • Cassette flooring • Compact flooring 			
Planning	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.			

ELEGANT ... FLEXIBLE ... MODULAR

WINE TENTS W-TENTS

Always creating the right ambience

RÖDER W-TENTS offer perfect possibilities for showcasing sophisticated product presentations, trade fair events or prestigious gala events. They are available with various side panels and can be extended by five metres at a time.

Allgäu Festival Week

The Allgäu Festival Week is one of the top ten regional consumer fairs in Germany and is the largest culture and enjoyment summer festival in the Allgäu region. Around 400 exhibitors presented their products in the open-air grounds and erected 15 halls. RÖDER equipped the event with 24 large tents that were used as exhibition halls and beer tents. A further eight wine and party tents were also used for product presentations. Overall, the RÖDER tents covered a span of 9 500 m².



9,500 m²
Area



20 days
Installation




32
Tents

WINE TENTS 1,000 CM



Standard version

Span (cm)	1,000
Side height (cm)	240 / 300
Ridge height (cm)	422 / 482
Roof pitch (°)	20
Truss spacing / grid (cm)	500
Main profile (mm)	130 x 70 x 3
Gable supports (number)	1
Maximum permissible wind speed according to EN	100 km/h
Special design	<ul style="list-style-type: none"> • Elimination of side bracing due to the installation of portals • Omission of anchoring when using the compact floor
Note	Can also be used with a low high point. With this type of tent, the side posts can be telescoped by approximately 10 cm for height compensation.
Attachment options	<ul style="list-style-type: none"> • ½ 8-corner on gable ends • Giga series tents
Floor	<ul style="list-style-type: none"> • Wooden floor with squared timber or steel-aluminium substructure • Cassette flooring • Compact flooring • Heavy duty floor
Planning	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.



IMPRESSIVE ... SPACIOUS ... ROOMY

BIG TENTS B-TENTS

Spectacular settings

Whether it's a successful trade fair presentation, a glittering evening event or an energetic concert, the large tent of the B-TENTS series makes a lasting impression on organisers and guests. Fixed facade elements made of glass, aluminium or PVC can be realised with the large B-TENT; as can extensive lighting, sound and air-conditioning concepts.



Company celebration Schaefer Kalk

A special location was chosen for the 150th anniversary of the Schaefer Kalk company. In an actively-used 50 m deep limestone quarry, RÖDER installed a striking tented landscape with a large 30 x 50 m marquee and wine tents for the gala dinner and kitchen. Twenty-five pavilions – from the small 3 x 3 m to the 8 x 8 m Pagoda Highlight – were set up to create a “recreation and information park” for the guests.



Image source: Gruppotosetto.it

San Clemente Palace Kempinski Venice

A temporary terrace cover was installed directly on the water for the San Clemente Palace Kempinski luxury hotel in Venice. The spacious tent, with a size of 10 m x 30 m, covered a total of 300 m². For festivities such as weddings and corporate events, this created a temporary, pleasant and exclusive spatial experience for the guests.



2,900 m²
Area



14 days
Installation



28
Tents



300 m²
Area



2 days
Installation




1
Tent

B-TENT BIG TENT 1,500 – 3,000 CM




Standard version

Span (cm)	1,500	2,000	2,500	3,000
Side height (cm)	240 / 300 / 400	240 / 300 / 400	240 / 300 / 400	300 / 400
Ridge height (cm)	480 / 540 / 640	565 / 625 / 725	640 / 700 / 800	787 / 887
Roof pitch (°)	18	18	18	18
Truss spacing / grid (cm)	500	500	500	500
Main profile (mm)	220 x 100 x 3	220 x 100 x 3	220 x 100 x 3	250 x 120 x 4 / 5
Gable supports (number)	3 / 4	3 / 4	3 / 4	5
Max. zulässige Windgeschwindigkeit nach EN	100 km/h			
Spezielle Ausführung	Omission of the wall diagonals due to the installation of portals.			
Fußboden	<ul style="list-style-type: none"> • Wooden floor with squared timber substructure • Cassette floor only for 15 m span • Heavy duty floor 			
Bepanung	RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204.			
Also available with spans of 40 m and 50 m with a 4 m side height.				



MULTIFACETED ... DURABLE ... INDIVIDUAL

EQUIPMENT & ACCESSORIES



ROOF


Our **PVC tarpaulins** are available in transparent and translucent. They are either high-strength and water-repellent or, additionally, anti-capillary. They correspond to the EN ISO 2286-2 standard. Standard white, full poly, opaque, guying as a rubber expander, with guying tube and ratchet strap.

Thermal roof sheet: an air-filled, double-walled chamber system that not only provides perfect insulation, but also prevents condensation. Thanks to the good thermal properties, energy and cost savings can be realised.



FACADE

- PVC Tarpaulin Translucent (white)
 - PVC Tarpaulin Full Poly (transparent)
 - Window bars, glass and alu-dibond doors
 - Sandwich panel facade
 - Trapezoidal steel sheet facade.
-



FLOORS

- Wooden floor with squared timber or steel/aluminium substructure.

The following floors are also possible on selected models:

- Cassette flooring
 - Compact flooring
 - Heavy duty floor.
-



OTHER ACCESSORIES

- Windows
- Door systems
- Lighting
- Heating systems.

ACCORDING TO INTERNATIONAL STANDARDS

QUALITY & SAFETY

“Engineered and made in Germany”. This is our performance promise as a premium manufacturer of tent and hall systems.

We guarantee quality and safety through our in-house production control. We leave nothing to chance and have our constructions checked by the TÜV (German Product Safety Limited). Dimensioning, load-bearing capacity, planning and statics from a single source are in accordance with Eurocode and DIN standards. Important specifications, such as fire protection and occupational safety, are always included in our planning.



Headquarters in Wolferborn, Büdigen

OUR PVC TARPAULINS

RÖDER works closely with the world's leading manufacturers of industrial tarpaulins, composite materials and aluminium profiles. Even in continuous use, our maximum durability tents and halls for industry, events and rentals meet – or exceed – the highest international quality and strictest safety standards.

FLEXIBLY EXPANDABLE

Would you like to modify, extend or add on to an existing tent or hall system?

RÖDER structures are highly flexible when it comes to speedy extensions, expansions, combination choices of different tent elements and your range of extension options.

ADVANTAGES OVER STEEL

Aluminium profiles are corrosion-resistant and have a stable lightness compared to steel. This lightness further reduces transport costs and assembly time.

Aluminium requires hardly any maintenance and thus ensures both a long-term stability and long-service life.



Flame
retardant



Flexible
translucency



Low-wick
technology



UV resistance and
colour consistency



Anti-mould and
anti-bacterial



Easy-Clean
coating

YOUR ADVANTAGES

FULL SERVICE

RÖDER sees itself as a solution-finder between individuality, economic efficiency and constrained schedules.

NO MATTER WHEN, NO MATTER WHERE AND NO MATTER HOW

From A to Z: We offer our expertise spanning over 60 years for your tent and hall projects, worldwide.

FROM TEMPORARY TO PERMANENT


As companies have to continually adapt to markets, RÖDER infrastructure solutions are the cost-efficient alternative to steel and concrete structures. We support rapid expansion and scaling because permanent structures simply take too long, but are possible with our solutions. Due to the quality weather-resistance of our tents, we create space and an excellent indoor climate; irrespective if it's in one of our tents or; a permanent hall being used for maintenance and production work.

BUY OR RENT

Whether you want to buy a RÖDER tent system, rent it for a long period of time or just need it for a transitional period – our customised solutions can always be adapted to your requirements.

YOUR ADVANTAGES

- High quality – made in Germany
- Fast delivery of spare parts
- A wide range of financing options
- Fast processing of your quotation request
- Professional assembly teams as partners.



FLEXIBLE ... FAST ... DURABLE

equitent
eine Marke der RÖDER Gruppe

RIDING AND LUNGING HALLS

Riding halls and perfect roofing from equitent are pleasingly visual, qualitative and economical. The indoor riding arena is available in spans of 16 and 21 metres.

Irrespective of the weather or external conditions, lunging halls from equitent allow horses to be exercised, trained and schooled in ideal conditions the whole year round.

We deliver the complete package!

equitent offers several options for floor mounting in the design and equipment of your indoor riding or lunging arena. The translucent roof and side wall cladding can be added or replaced field by field.



FAST ... LIGHT ... PROTECTIVE

SAS ACCOMMODATION TENTS

Clubs, youth groups, police, fire brigades, aid organisations and armies have one thing in common: during outdoor pursuits, the quality and reliability of the tents they use are very important.

They must not only protect against wind, weather and withstand damaging environmental influences, but also be easy to transport and set up.

The tents of the SAS-TENTS series from RÖDER meet all requirements and are ideal for use in difficult situations.



MODULAR LIGHTWEIGHT HALLS

Service and industrial companies must continuously adapt to new market and growth conditions which requires fast, flexible and customised industrial solutions.

With RÖDER, you will always have a competent and experienced partner at your side to make your industrial space solutions a success.

We offer every tent rental company:

- Competent, professional advice from the start
- Individual solutions adapted to your particular industrial project
- Long-term project support
- Three new hall series that have set standards in the industrial sector

Three new hall series set standards in the industrial sector

The RÖDER Group has redefined the lightweight hall! With the innovative system constructions S-Line, M-Line and H-Line, RÖDER offer tailor-made solutions for any industry requirement.



S-Line Smart

- Short term delivery
- Highest cost efficiency
- Quick installation
- Extensibility according to need
- 5.20 m maximum side height
- 5 m to 20 m span



M-Line Multifunctional

- Insulated or uninsulated
- Single-skin or thermal roof sheet
- Snow load up to 1.5 kN/m²
- Individual equipment
- Span up to 30 m
- 11.20 m maximum ridge height



H-Line High-tech

- Large spans and side heights
- High snow and wind load
- Customised equipment options
- Optional fixed roofing
- Up to 3.0 kN/m² snow load

RÖDER WORLDWIDE

YOUR CONTACT

23

Sales offices

3

Production sites

32

Countries



Germany

**RÖDER Zelt- und
Veranstaltungsservice GmbH**

Am Lautenstein 5
63654 Büdingen

Head Office

Fon +49 (0) 6049 7000
info@roder.com | roder.com

United Kingdom

RÖDER UK Limited

Unit 16, Earith Business Park
Meadow Drove
Earith, Cambridgeshire
PE28 3QF | United Kingdom

Phone: +44 1487 840 840

info@roder-industrial.com
www.roder-industrial.com

RÖDER Zelt- und Veranstaltungsservice GmbH
Am Lautenstein 5 | 63654 Büdingen | Germany
Fon + 49 6049 700-0 | Fax +49 6049 700-339
info@roder.com | www.roder.com

More information and examples:    

